

Specifications
01/28/2022

Project	From
Londonderry School District 6A Kitty Hawk Landing Londonderry, NH 03053	Dave Swain Associates, Inc. Jon McCallion 6 Lyberty Way, Suite 101 Westford, MA 01886 978-392-8401 978-392-8401 (Contact)

ITEM 1 - RANGE, 60", 4 BURNERS, 36" GRIDDLE (2 REQ'D)
Vulcan Model 60SS-4B36GT Dimensions: 58(h) x 60(w) x 34(d)
Endurance™ Restaurant Range, gas, 60", (4) 30,000 BTU burners with lift-off burner heads, (1) 36" x 7/8" thick griddle, thermostatic controls, 4" wide front grease trough, (2) standard oven bases, stainless steel front, sides, backriser & high shelf, fully MIG welded frame, 6" adjustable legs, 238,000 BTU, CSA Flame, CSA Star, NSF

2 ea	1 year limited parts & labor warranty, standard
2 ea	K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation
2 ea	Gas type to be specified
10 ea	Manual rotary ignitor with flame safety device, for open top burner, griddle, & oven pilots (one required per 12" section)
2 ea	Griddle on right side, standard
2 ea	Stainless steel backriser & lift-off high shelf, standard
4 st	Model CASTERS-RR4 Casters, 5" (set of 4) (2 with locks) (quantity of 2 required)

ITEM 2 - RETHERMALIZER/HOLDING CABINET (1 REQ'D)
FWE / Food Warming Equipment Co., Inc. Model RH-18-MT Dimensions: 77.5(h) x 29.25(w) x 39(d)
Retherm & Holding Cabinet, electric, mobile, (18) 18" x 26" trays/baskets or (36) 12" x 20" x 2-1/2 pans capacity, 3" OC spacing adjustable to 1-1/2" increments, adjustable moisture control, touchscreen controls, (8) program presets, heating temperature up to 350° F, holding temperature up to 190° F, insulated, (2) dutch doors, stainless steel construction, 5" casters (2) rigid & (2) swivel with brakes, cULus, UL EPH Classified

1 ea	Two year limited parts & one year labor warranty, standard
1 ea	208v/60/1-ph, 49.1 amps, 13,522 watts, cord with NEMA 6-50P, standard (US)
1 ea	Product probe
1 ea	Push/Pull Handle, pair

ITEM 3 - MOBILE HEATED CABINET (2 REQ'D)
FWE / Food Warming Equipment Co., Inc. Model PHTT-12 Dimensions: 74.5(h) x 27.75(w) x 31.25(d)
Clymate IQ® Heated Cabinet, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (2) Dutch doors, recessed hand grips, stainless steel interior & exterior, 5" casters (2) rigid & (2) swivel with brakes, cULus, CE, UL EPH Classified, IPX4

2 ea	Two year limited parts & one year labor warranty, standard
2 ea	120v/60/1-ph, 18.3 amps, 2192 watts, NEMA 5-20P, standard (US)
2 ea	Glass door(s), dutch (per set)
2 ea	Rack assembly, fixed spacing, per door
2 ea	Full Perimeter Bottom Bumper
2 ea	Push/Pull Handle, pair

ITEM 4 - MOBILE HEATED CABINET (2 REQ'D)

FWE / Food Warming Equipment Co., Inc. Model PHTT-12-CV Dimensions: 75.5(h) x 27.75(w) x 35.25(d)
Clymate IQ® Heated Cabinet, with controlled venting, mobile, (12) pair universal tray slides, (12) 18" x 26" or (24) 12" x 20" tray capacity, 4-1/2" OC, adjustable to 1-1/2" increments, humidified holding system, individual heat & humidity controls, insulated, removable water reservoir, (2) Dutch doors, recessed hand grips, stainless steel interior & exterior, 5" casters, (2) rigid & (2) swivel with brakes, cULus, UL EPH Classified, CE, IPX4

2 ea Two year limited parts & one year labor warranty, standard
2 ea 120v/60/1-ph, 18.3 amps, 2192 watts, NEMA 5-20P, standard (US)
2 ea Pass-Thru Door Option, for (1) door unit
2 ea NOTE: PHTT-12 provided with (2) half height doors
2 ea Glass door(s), dutch (per set)
2 ea Full Perimeter Bottom Bumper
2 ea Push/Pull Handle, pair

ITEM 5 - MILK CRATE DOLLY (6 REQ'D)

Channel Manufacturing Model MC1326 Dimensions: 7.5(h) x 14.25(w) x 27.25(d)
Dollies, Glass Rack / Milk Crate Dolly, Milk Crate Dollies, 14.25"W x 27.25"D x 7.5"H, Aluminum Construction, (2) 13" x 13" crates, 5" Swivel Plate Casters model # CPS45U, Made in USA, NSF, 16lbs. (ITEM WEIGHT ONLY), double wide

6 ea Lifetime warranty against rust and corrosion
3 ea Model /PH-10 Accessories, Pull Hook, Made in USA, 2lbs. (ITEM WEIGHT ONLY), MUST BE FACTORY INSTALLED

ITEM 6 - CART, STEM CASTER (2 REQ'D)

Eagle Group Model CC1836C-SBP Dimensions: 68(h) x 36(w) x 18(d)
Stem Caster Cart, 4-tier, 36"W x 18"D x 68"H, wire shelves with patented QuadTruss® design, (4) 63"H posts, includes plastic split sleeves & donut bumpers, chrome-plated finish, (2) swivel & (2) swivel/brake 5" stem casters with poly tread, KD, NSF

2 ea NOTE: Please add 10% to the net for all orders shipping on or after March 1st, 2022

ITEM 6A - CART, STEM CASTER (1 REQ'D)

Eagle Group Model CC1860Z-SB Dimensions: 68(h) x 60(w) x 18(d)
Stem Caster Cart, 4-tier, 60"W x 18"D x 68"H, wire shelves with patented QuadTruss® design, (4) 63"H posts, includes plastic split sleeves & donut bumpers, EAGLEbrite® zinc finish, (2) swivel & (2) swivel/brake 5" stem casters with resilient tread, KD, NSF

1 ea NOTE: Please add 10% to the net for all orders shipping on or after March 1st, 2022

ITEM 7 - WIRE SHELVING UNIT (3 REQ'D)

Eagle Group Model QPMU2136E-G5-74 Dimensions: 74(h) x 36(w) x 21(d)
QuadPLUS® Mobile Starter Unit, 5-tier, 36"W x 21"D x 74"H, (1) wire shelf frame with louvered QuadPLUS® green shelf mat, (3) Quad-Adjust® wire shelf frames with louvered QuadPLUS® green shelf mats, (1) wire shelf frame with solid QuadPLUS® green shelf mat, EAGLEgard® hybrid epoxy finish with MICROGUARD® antimicrobial protection, 5" swivel stem casters (2 with brake)

3 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 8 - WIRE SHELVING UNIT (4 REQ'D)

Eagle Group Model QPMU2148E-G5-74 Dimensions: 74(h) x 48(w) x 21(d)

QuadPLUS® Mobile Starter Unit, 5-tier, 48"W x 21"D x 74"H, (1) wire shelf frame with louvered QuadPLUS® green shelf mat, (3) Quad-Adjust® wire shelf frames with louvered QuadPLUS® green shelf mats, (1) wire shelf frame with solid QuadPLUS® green shelf mat, EAGLEgard® hybrid epoxy finish with MICROGUARD® antimicrobial protection, 5" swivel stem casters (2 with brake)

4 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 9 - WIRE SHELVING UNIT (1 REQ'D)

Eagle Group Model QPMU1860E-G5-74 Dimensions: 74(h) x 60(w) x 18(d)

QuadPLUS® Mobile Starter Unit, 5-tier, 60"W x 18"D x 74"H, (1) wire shelf frame with louvered QuadPLUS® green shelf mat, (3) Quad-Adjust® wire shelf frames with louvered QuadPLUS® green shelf mats, (1) wire shelf frame with solid QuadPLUS® green shelf mat, EAGLEgard® hybrid epoxy finish with MICROGUARD® antimicrobial protection, 5" swivel stem casters (2 with brake)

1 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 10 - WIRE SHELVING UNIT (2 REQ'D)

Eagle Group Model QPMU2460E-G5-74 Dimensions: 74(h) x 60(w) x 24(d)

QuadPLUS® Mobile Starter Unit, 5-tier, 60"W x 24"D x 74"H, (1) wire shelf frame with louvered QuadPLUS® green shelf mat, (3) Quad-Adjust® wire shelf frames with louvered QuadPLUS® green shelf mats, (1) wire shelf frame with solid QuadPLUS® green shelf mat, EAGLEgard® hybrid epoxy finish with MICROGUARD® antimicrobial protection, 5" swivel stem casters (2 with brake)

2 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 11 - WIRE SHELVING UNIT (3 REQ'D)

Eagle Group Model RS4-63-A2148BL Dimensions: 63(h) x 48(w) x 21(d)

Add-A-Shelf® Starter Unit, 4-tier, 48"W x 21"D x 63"H, (2) wire shelves on top & bottom with patented QuadTruss® design, (2) Add-A-Shelf® intermediate shelves, (4) 63"H Red-i-Pak® posts, includes (4) bags of split sleeves & (2) bags of Add-A-Shelf® collars, black epoxy finish, NSF

3 ea NOTE: Please add 10% to the net for all orders shipping on or after March 1st, 2022

ITEM 12 - SHELF DIVIDER (6 REQ'D)

Eagle Group Model SD21-BL Dimensions: 8(h) x 21(w)

Stand-Outs™ Decorative Shelf Divider, 8"H, for use with 21"D wire shelf, black epoxy finish, NSF

6 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 13 - SHELVING LEDGE (9 REQ'D)

Eagle Group Model L48-1BL Dimensions: 1(h) x 48(w)

Stand-Outs™ Decorative Shelf Ledge, 48" long x 1"H, for wire shelf, black epoxy finish

9 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 14 - SHELVING LEDGE (4 REQ'D)

Eagle Group Model L48-4BL Dimensions: 4(h) x 48(w)

Stand-Outs™ Decorative Shelf Ledge, 48" long x 4"H, for wire shelf, black epoxy finish

4 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 15 - SHELF MAT COVER (2 REQ'D)
Eagle Group Model DSI-2148 Dimensions: 0.13(h) x 48(w) x 21(d)
Stand-Outs™ Shelf Inlay, 48"W x 21"D, reversible, fits between posts, 1/8" thick black & white hardboard, priced per inlay, NSF
2 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 16 - SHELF MAT COVER (2 pk REQ'D)
Eagle Group Model CSI-2148 Dimensions: 0.03(h) x 48(w) x 21(d)
Stand-Outs™ Shelf Inlay, 48"W x 21"D, fits between posts, clear plastic, priced per pack of four, NSF
2 pk NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 17 - DUNNAGE RACK (4 REQ'D)
Eagle Group Model DR1836-E Dimensions: 14(h) x 36(w) x 18(d)
Dunnage Rack, wire, 36"W x 18"D x 14"H, removable wire assembly, three-sided frame, 1600 lb. capacity, EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF
4 ea NOTE: Please add 10% to the list (current list /.90) for all orders shipping on or after March 1st, 2022.

ITEM 18 - DISPOSER (1 REQ'D)
Red Goat Disposers Model F34P-R
"F" Series Disposer, basic unit only, 3/4 HP, 6" rotor with (2) cast-on impact bars, cast iron body, thermal overload with manual reset button, includes (6) mounting bolts & splash guard gasket, 3-ph
1 ea **Discounts have changed. Contact your sales rep.**
1 ea 208v/60/3-ph, 2.6 amps
1 ea Basic unit only, no options required
1 ea Model 05-5-155 Solenoid Valve, 1/2" pipe size, 208v coil
1 ea 208v/60/3-phase
1 ea Model 10-5-201 Vacuum Breaker Assembly, 1/2" pipe size
1 ea Model 10-H-303 Water flow control valve, 1/2" pipe size, 3 gallons per minute

ITEM 19- STYLELINE 03-Door Styleline CL (NT) K2 (2663) Frame & Doors - Finish:
Smooth Satin Black - Lighting: LED - Handle:
Standard - Inlay: None - Hinge/Locks: See Picture Below
with shelving package consisting of the following
15 - shelf, 26in x 27in deep, black w/black ptm
8 - post, assy, 83-3/4in, black, incl.levelers,brackets,post holders
8 - brac, alum, post support,black

Special Comments:
NCO: 6ft 8 13/16in x 64 3/4in
LH Hinge
5 shelves per door

Quote for installation, delivery and set in place.

City of Londonderry responsible for Utilities Gas, water, and electrical hook ups.

Foodservice Equipment Contractor will need to co-ordinate delivery to 4 different schools per request of Foodservice Director or designee

Existing old equipment will need to be picked up and disposed of per request of Foodservice Director or designee

The items and quantities quoted is based on information provided to us. Please examine carefully and verify